

concept
wiesner hager



skill system table

Optional.



Design: Andreas Krob



By releasing the locking mechanism in the table top support, the frame attached to the underside of the table top can be removed and latched into the desired position. The frames can be used flexibly: as an element linking two table tops or as an end piece flush with the edge.

skill system table: Your flexible communication highway.

The *skill* product range is characterised by elegance and visual lightness. Thanks to its diversity, *skill* offers the perfect solution for each application area. The new *skill* system table complements the mobile flip top table and the conference table for static meeting rooms. Highly flexible, and available in numerous different formats, this system table connects two table tops with only one frame, so all kinds of table configurations can be set up instantly and without any tools. If required, each element can also be used as a single table. The *skill* system table demonstrates its full potential in large scale table configurations.


Examples of possible configurations:



T-leg frame

Height of table

Stacking trolley 6399-784: Capacity 16 frames



Rectangular top


Triangular segment top left

Triangular segment top right

Oval segment top

Pointed oval top left

Pointed oval top right



Circular segment top

Semi-trapezoidal top - radius left

Semi-trapezoidal top - radius right

Trapezoidal top radius on long edge

Quarter-round top

Dimensions in mm.

Standard model:

Table tops: Choice of laminate (MFC) or HPL Fenix top with seamless, moisture resistant laser edge (ABS edge), compact top, MDF board with standard veneers or premium veneers (walnut, zebrano) with laminated wood edge (straight part of the edge). Bevelled part of MDF edge in black, straight connecting edge. Other wood surfaces stained acc. to WH collection. Die-cast aluminium table top support, tubular steel beam, powder-coated.

Frame: T-leg frame, aluminium column, die-cast aluminium cantilever foot, powder-coated. Connector polished die-cast aluminium. Adjustable glides silver grey.

Modesty panel height 300 mm (optional): Compact top 2 mm, anthracite, black metal parts.

Electric cabling (optional):

Rectangular cable flap:

Metal (for standard laminate and HPL Fenix table tops): Aluminium powder-coated, with flap.

Veneer (for standard veneers or premium veneers): Flush flap with touch function.

Horizontal cable channel: Metal cable channel, powder-coated.

Cable clip for quarter-round top 3523: Black plastic.

Vertical cable management: Sheet steel, black, powder-coated.






Perfect Partners.




sign_2



pulse



Certified acc. to:
ISO 9001, ISO 14001
and ISO 14025



LASERKANTE
LASER EDGE

A-4950 Altheim
Linzer Strasse 22
T +43 (7723) 460-0
altheim@wiesner-hager.com

D-97080 Würzburg
Schürerstrasse 3
T +49 (931) 3 55 85-0
F +49 (931) 3 55 85 85
wuerzburg@wiesner-hager.com

NL-6101 XB Echt
Nobelweg 17
T +31 (475) 41 02 22
benelux@wiesner-hager.com

F-67201 Eckbolsheim
13, rue Ettore Bugatti
T +33 (3) 88 59 90 90
F +33 (3) 88 59 90 89
france@wiesner-hager.com

UK: Wiesner-Hager Ltd.
Fourth Floor
104-110 Goswell Road
London
EC1V 7DH
T +44 (20) 7490 3627
london@wiesner-hager.com

CZ-150 00 Praha 5
Drtinova 557/10
T +420 271 730 444
praha@wiesner-hager.com